

FINISHED PRODUCT CERTIFICATE OF ANALYSIS

Chae Manufacturing

Address: 23300 US HWY 160
Walsenburg, CO 81089

E Mail: chaeteam@chaemanufacturing.com Phone: 719.695.5555



Customer	Oxzgen, Inc	Customer PO#	5L-3XT101321.1-1
Product #	5L-3Xtreme Pain Cream 500mg 1oz	FG COA Dt	02/03/2022
Product Name	Oxzgen 3Xtreme Pain Cream 500mg 1oz	Packaging/Fill Lot#	
Batch #	BT-5L-3XT101321.1-1-1	Finished Lot#	L1016
Manufacturing Date	12/21/2021	Expiration Date	02/01/2024

TEST RESULTS - CHEMISTRY

Claim	Limits	Result	Method
Color	Off-White	Off White	CHAE
Appearance	Non-Transparent	Non Transparent	CHAE
Scent	Menthol-Pepper	Menthol-Pepper	CHAE
pH	5.25+/-0.25	5.19	CHAE
Potency	500mg/1oz	573.10	CHAE
Spec. Gravity	.9-1.1	1.01	CHAE
Water Soluble	Soluble	Soluble	CHAE
Type		Cream	CHAE

COA Created By/Date: Heather Dixon/02/03/2022

COA Verified By/Date: Heather Dixon/02/03/2022

COA Approved By/Date: Heather Dixon/03/07/2022

CERTIFICATE OF COMPLIANCE/RELEASE FOR SHIPPING

Chae Manufacturing certifies that a sample of this product was evaluated, tested to, and found to be in compliance with all the requirements of the purchase order and specified on referenced documents. Chae Manufacturing also certifies that the manufacturing process was carried out according to the Master Batch Record and in compliance with cGMP.

FINISHED PRODUCT CERTIFICATE OF ANALYSIS

Chae Manufacturing

Address: 23300 US HWY 160
Walsenburg, CO 81089



E Mail: chaeteam@chaemanufacturing.com Phone: 719.695.5555

Customer	Oxzgen, Inc	Customer PO#	5L-3XT101321.1-1
Product #	5L-3Xtreme Pain Cream 500mg 1oz	FG COA Dt	02/03/2022
Product Name	Oxzgen 3Xtreme Pain Cream 500mg 1oz	Packaging/Fill Lot#	
Batch #	BT-5L-3XT101321.1-1-1	Finished Lot#	L1016
Manufacturing Date	12/21/2021	Expiration Date	02/01/2024

TEST RESULTS - MICROBIAL

Date Sampled Received	02/03/2022	Date Sampled Processed	02/03/2022
Date Results Reported	02/03/2022	Report #	
Test	Method	USP SPECS cfu/g	Laboratory Results cfu/g
Total Aerobic Microbial Count	USP42;Section 62 & 1111		<10 CFU/G
Total Yeast & Mold Count	USP42;Section 62 & 1111		<10 CFU/G

COA Created By/Date: Heather Dixon/02/03/2022

COA Verified By/Date: Heather Dixon/02/03/2022

COA Approved By/Date: Heather Dixon/03/07/2022

APPROVED

Signature/Authorized Personnel _____ Date _____

CERTIFICATE OF COMPLIANCE/RELEASE FOR SHIPPING

Chae Manufacturing certifies that a sample of this product was evaluated, tested to, and found to be in compliance with all the requirements of the purchase order and specified on referenced documents. Chae Manufacturing also certifies that the manufacturing process was carried out according to the Master Batch Record and in compliance with cGMP.