

# RST Analytical, Inc.

1580 Lakeland Avenue, Suite B

Bohemia, NY 11716 | Tel (631) 750-9351 Fax (631) 750-9350



## Certificate of Analysis for OXZGEN Solutions & Fulfillment Center

REPORT AND PRODUCT INFORMATION			
<b>PRODUCT NAME</b>	OXZGEN Immune Boost Capsule	<b>PRODUCT CODE</b>	OXZ004-60
<b>Lot Number</b>	T210058	<b>DOM: 06/2021</b>	<b>Expiration Date: 3 Years</b>
<b>Item</b>	<b>Specification</b>	<b>Results</b>	<b>Visual – Color</b>
<b>Product Description</b>	#00 Clear/Clear vegetable capsule filled with light to dark brown, powder	Conforms	On File
<b>Average Total Weight (mg)</b>	834 mg ± 10 %	820.76 mg	
<b>Disintegration</b>	NMT 30 min	9 minutes	

### ANALYICAL TESTING:

Ingredient or Test (per unit)	Label Claim/ Specification	Result (%)	Method	Method of References
Zinc (as Zinc Oxide)	7.5 mg	7.5 mg (100%)	ICP	Perkin Elmer
Vitamin D-3	5 mcg	5.0 mcg (100%)	HPLC	Modified USP
S-Acetyl-L-Glutathione	100 mg	100 mg (100%)	Proper Process Control	MMR
L-Tyrosine	100 mg	100 mg (100%)	Proper Process Control	MMR
Gamma Aminobutyric Acid (GABA)	50 mg	50 mg (100%)	Proper Process Control	MMR
<b>Ingredient or Test (per unit)</b>	<b>Label Claim</b>	<b>Result (%)</b>	<b>Method</b>	<b>Method References</b>

# RST Analytical, Inc.

1580 Lakeland Avenue, Suite B

Bohemia, NY 11716 | Tel (631) 750-9351 Fax (631) 750-9350



## Certificate of Analysis for OXZGEN Solutions & Fulfillment Center

Holy Basil	200 mg	200 mg (100%)	Proper Process Control	MMR
CBD	12.5 mg	12.5 mg (100%)	Proper Process Control	MMR
<b>Other ingredients:</b>	Microcrystalline Cellulose, Silicon Dioxide, Magnesium Stearate			

### MICROBIOLOGY:

Analysis	Specification	Result	Method
<b>Total Plate Count</b>	<10,000 cfu/g	<10,000 cfu/g	USP/Proper Process Control
<b>Yeast and Mold</b>	<1,000 cfu/g	<1,000 cfu/g	USP/Proper Process Control
<b>E.Coli</b>	Negative/ 10g	Negative	USP/Proper Process Control
<b>Salmonella</b>	Negative/ 10g	Negative	USP/Proper Process Control
<b>S. Aureus</b>	Negative/ 10g	Negative	USP/Proper Process Control

Title	Signature	Date
		06/01/21