

# FINISHED PRODUCT CERTIFICATE OF ANALYSIS

**Chae Manufacturing**

Address: 23300 US HWY 160  
Walsenburg, CO 81089

E Mail: chaeteam@chaemanufacturing.com Phone: 719.695.5555



<b>Customer</b>	Oxzgen, Inc	<b>Customer PO#</b>	5L-PDQ062922.2
<b>Product #</b>	5L-PDQ Pain Spray 500mg 1oz	<b>FG COA Dt</b>	09/07/2022
<b>Product Name</b>	Oxzgen PDQ Pain Spray 500mg 1oz	<b>Packaging/Fill Lot#</b>	
<b>Batch #</b>	BT-5L-PDQ062922.2-1	<b>Finished Lot#</b>	H2226
<b>Manufacturing Date</b>	09/01/2022	<b>Expiration Date</b>	09/06/2024

## TEST RESULTS - CHEMISTRY

Claim	Limits	Result	Method
Color	Pink	Pass	Pass/Fail
Appearance	Transparent	Pass	Pass/Fail
Scent	Menthol/Peppermint	Pass	Pass/Fail
Specific Gravity	.83-.93	.89	CHAE
Water Soluble	Soluble	Soluble	CHAE
Type	Liquid	Pass	Pass/Fail
DOB Viscosity	<200cP		Brookfield
Spindle	61		Brookfield
Speed	100		Brookfield
Transportation Study			Organoleptic Pass/Fail

APPROVED

COA Created By/Date: sabrinag/09/07/2022

COA Verified By/Date: sabrinag/09/07/2022

COA Approved By/Date: Heather Dixon/09/12/2022

### CERTIFICATE OF COMPLIANCE/RELEASE FOR SHIPPING

Chae Manufacturing certifies that a sample of this product was evaluated, tested to, and found to be in compliance with all the requirements of the purchase order and specified on referenced documents. Chae Manufacturing also certifies that the manufacturing process was carried out according to the Master Batch Record and in compliance with cGMP.

# FINISHED PRODUCT CERTIFICATE OF ANALYSIS

**Chae Manufacturing**

Address: 23300 US HWY 160  
Walsenburg, CO 81089



E Mail: chaeteam@chaemanufacturing.com Phone: 719.695.5555

<b>Customer</b>	Oxzgen, Inc	<b>Customer PO#</b>	5L-PDQ062922.2
<b>Product #</b>	5L-PDQ Pain Spray 500mg 1oz	<b>FG COA Dt</b>	09/07/2022
<b>Product Name</b>	Oxzgen PDQ Pain Spray 500mg 1oz	<b>Packaging/Fill Lot#</b>	
<b>Batch #</b>	BT-5L-PDQ062922.2-1	<b>Finished Lot#</b>	H2226
<b>Manufacturing Date</b>	09/01/2022	<b>Expiration Date</b>	09/06/2024

## TEST RESULTS - MICROBIAL

<b>Date Sampled Received</b>	09/07/2022	<b>Date Sampled Processed</b>	09/07/2022
<b>Date Results Reported</b>	09/07/2022	<b>Report #</b>	
<b>Test</b>	<b>Method</b>	<b>USP SPECS cfu/g</b>	<b>Laboratory Results cfu/g</b>
Total Aerobic Microbial Count	USP42;Section 62 & 1111	N/A	N/A
Total Yeast & Mold Count	USP42;Section 62 & 1111	N/A	N/A

COA Created By/Date: sabrinag/09/07/2022

COA Verified By/Date: sabrinag/09/07/2022

COA Approved By/Date: Heather Dixon/09/12/2022

APPROVED

Signature/Authorized Personnel \_\_\_\_\_ Date \_\_\_\_\_

### CERTIFICATE OF COMPLIANCE/RELEASE FOR SHIPPING

Chae Manufacturing certifies that a sample of this product was evaluated, tested to, and found to be in compliance with all the requirements of the purchase order and specified on referenced documents. Chae Manufacturing also certifies that the manufacturing process was carried out according to the Master Batch Record and in compliance with cGMP.